



EMERGENCY SHOWERS AND EYE-WASH FOUNTAINS



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Истец: **ISTEC® (EN 15154)** Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 7774788, 7489626, 5007154, 55165

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

EMERGENCY SHOWERS

EYE - WASH FOUNTAINS

ISTEC®

EYE-WASH FOUNTAINS

STAINLESS STEEL
WALL MOUNTED WITH FLANGE PUSH HANDLE CONTROL

P/N 15011000

Standard EN 15154 - 2

Operate manually, suitable to connect with the wall flange. All pipes are made of stainless steel. Bowl can be chosen as stainless steel and ABS.

Features

Pipes : 1 1/4" Stainless Steel
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 5,800 kg
ABS : 4,750 kg
Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EYE-WASH FOUNTAINS

GALVANIZED AND PAINTED
WALL MOUNTED WITH FLANGE PUSH HANDLE CONTROL

P/N 15011500

Standard EN 15154 - 2

Operate manually, suitable to connect with the wall flange. All pipes are made of galvanized steel. Electrostatic powder coating. Standard color is green. (RAL 6029) different colours are available on request. Bowl can be selected as galvanized steel or ABS.

Features

Pipes : 1 1/4" Galvanized Painted
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Galvanized Painted : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 6,150 kg
ABS : 5,100 kg
Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EYE-WASH FOUNTAINS

STAINLESS STEEL
WALL MOUNTED WITH BRACKET PUSH HANDLE CONTROL

P/N 15011100

Standard EN 15154 - 2

Suitable to connect with the wall bracket. All pipes are made of stainless steel. Bowl can be chosen as stainless steel and ABS.

Features

Pipes : 1 1/4" Stainless Steel
Water Inlet : 1/2"
Water Outlet : 1 1/2"
Water Flow : min. 6 lt/min

Bowl

Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 5,950 kg
ABS : 4,900 kg
Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EYE-WASH FOUNTAINS

GALVANIZED AND PAINTED
WALL MOUNTED WITH BRACKET PUSH HANDLE CONTROL

P/N 15011600

Standard EN 15154 - 2

Suitable to connect with the wall bracket. All pipes are made of galvanized steel. Electrostatic powder coated. Standard colour is green. (RAL 6029) different colours are available on request. Bowl can be chosen as stainless steel and ABS.

Features

Pipes : 1 1/4" Galvanized Painted
Water Inlet : 1/2"
Water Outlet : 1 1/2"
Water Flow : min. 6 lt/min

Bowl

Galvanized Painted : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 5,950 kg
ABS : 4,900 kg
Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EMERGENCY SHOWERS

EYE - WASH FOUNTAINS

ISTEC®

EYE-WASH FOUNTAINS

STAINLESS STEEL / GALVANIZED AND PAINTED
WALL MOUNTED WITH FLANGE PUSH HANDLE CONTROL

P/N 15011300 Stainless Steel

P/N 15011800 Galvanized Painted

Standard EN 15154 - 2

Suitable to connect with the wall flange. All pipes are available stainless steel or sheet steel. Cover is automatically opened when valve is opened.

Features

Pipes : 1 1/4" Stainless Steel / Galvanized Painted
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 7,350 kg
Galvanized Painted : 7,700 kg
Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EYE-WASH FOUNTAINS

STAINLESS STEEL / GALVANIZED AND PAINTED
WALL MOUNTED WITH FLANGE FOOT CONTROL

P/N 15011200 Stainless Steel

P/N 15011700 Galvanized and Painted

Standard EN 15154 - 2

Features

Pipes : 1 1/4" Stainless Steel / Galvanized Painted
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 7,050 kg
ABS : 6,000 kg
Galvanized : 7,400 kg
ABS : 6,350 kg
Packet Dimensions : 810 x 320 x 170 mm (HxWxD)



EYE-WASH FOUNTAINS

STAINLESS STEEL
 COUNTERTOP MOUNTED PUSH HANDLE CONTROL

P/N 15012000

Standard EN 15154 - 2

It is suitable to connect on a table or bench. All pipes are made of stainless steel. Bowl can be chosen as stainless steel and ABS.

Features

Pipes : 1 1/4" Stainless Steel
 Water Inlet : 1/2"
 Water Outlet : 1 1/2"
 Water Flow : min. 6 lt/min

Bowl

Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 5,050 kg
 ABS : 4,000 kg
 Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EYE-WASH FOUNTAINS

GALVANIZED - PAINTED
 COUNTERTOP MOUNTED PUSH HANDLE CONTROL

P/N 15012500

Standard EN 15154 - 2

It is suitable to connect on a table or bench. All pipes are made of galvanized steel. Electrostatic powder coated. Standard color is green. (RAL 6029) different colours are available on request. Bowl can be selected as galvanized steel and ABS for bowl.

Features

Pipes : 1 1/4" Galvanized Painted
 Water Inlet : 1/2"
 Water Outlet : 1 1/2"
 Water Flow : min. 6 lt/min

Bowl

Galvanized Painted : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 5,350 kg
 ABS : 4,300 kg
 Packet Dimensions : 320 x 320 x 220 mm (HxWxD)



EMERGENCY SHOWERS

EYE - WASH FOUNTAINS

ISTEC®

EYE-WASH FOUNTAINS

STAINLESS STEEL
PUSH HANDLE OPERATED/PEDESTAL MOUNTED

P/N 15013000

Standard EN 15154 - 2

All pipes are made of stainless steel. Bowl can be selected as stainless steel or ABS.

Features

Pipes : 1 1/4" Stainless Steel
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 9,600 kg
ABS : 8,550 kg
Packet Dimensions : 810 x 320 x 220 mm (HxWxD)



EYE-WASH FOUNTAINS

PAINTED GALVANIZED
PUSH HANDLE OPERATED/PEDESTAL MOUNTED

P/N 15013500

Standard EN 15154 - 2

All pipes are made of galvanized steel. Electrostatic powder coated. Standard color is green. (RAL 6029) different colours are available on request. Bowl can be selected as galvanized steel or ABS.

Features

Pipes : 1 1/4" Galvanized Painted
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Galvanized Painted: Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted: 9,950 kg
ABS : 8,900 kg
Packet Dimensions : 810 x 320 x 220 mm (HxWxD)



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 774788, 7489626, 5007154, 55, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

EYE-WASH FOUNTAINS

STAINLESS STEEL
PEDESTAL MOUNTED/TREADLE FOOT CONTROL

P/N 15014000

Standard EN 15154 - 2

Pedestal mounted. All pipes are made of stainless steel. Bowl can be selected as stainless steel or ABS.

Features

Pipes : 1 1/4" Stainless Steel
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 10,400 kg
ABS : 3,350 kg
Packet Dimensions : 810 x 320 x 220 mm (HxWxD)

**EYE-WASH FOUNTAINS**

PAINTED GALVANIZED
PEDESTAL MOUNTED/TREADLE FOOT CONTROL

P/N 15014500

Standard EN 15154 - 2

Pedestal mounted. All pipes are made of galvanized steel. Electrostatic powder coated. Standard color is green. (RAL 6029) different colours are available on request. Bowl can be selected as galvanized steel or ABS.

Features

Pipes : 1 1/4" Galvanized Painted
Water Inlet : 1/2"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min

Bowl

Galvanized Painted : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 10,750 kg
ABS : 9,700 kg
Packet Dimensions : 810 x 320 x 220 mm (HxWxD)



EMERGENCY SHOWERS

COMBINED UNITS

ISTEC®

EYE-WASH FOUNTAINS

STAINLESS STEEL
LABORATORY TYPE - COUNTERTOP MOUNTED

P/N 15012020 Stainless Steel

P/N 15012525 Galvanized Painted

Produced in accordance with EN 15154-2 standard.

Suitable to connect to the table or to the bench. All pipes are made of stainless steel or galvanized steel.

Features

Pipes : 1" Galvanized painted or stainless steel
Water Inlet : 1/2"
Water Flow : min. 6 lt/min

Weight

Stainless Steel : 2,100 kg
Galvanized Painted : 2,200 kg
Packet Dimensions : 320 x 320 x 150 mm (HxWxD)



EYE-WASH FOUNTAINS

PLATFORM OPERATED/PEDESTAL WITH SUPPORT

P/N : 15015000 Stainless Steel

P/N : 15015500 Galvanized Painted

Produced in accordance with EN 15154-2 standard.

Platform controlled. All pipes are made of Galvanized painted or stainless steel. Bowl can be stainless steel, galvanized steel or ABS plastics.

Features

Pipes : Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 6lt/min

Bowl

Stainless Steel : Diameter 300 mm
Galvanized Painted : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 30,750 kg - ABS : 29,700 kg
Galvanized Painted : 31,750 kg - ABS : 30,700 kg
Packet Dimensions : 950 x 850 x 280 (HxWxD) mm



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 774788, 7489626, 5007154, 55, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

EYE-WASH FOUNTAINS

FREEZE PROOF/PUSH HANDLE CONTROL

P/N : 15016000 Stainless Steel

P/N : 15016500 Galvanized Painted

Produced in accordance with EN 15154-2 standard.

Designed to protect against freezing. All pipes are made of Galvanized painted or stainless steel.

Features

Pipes : Galvanized painted steel or stainless steel
 Water Inlet : 1/2"
 Water Outlet : 1 1/4"
 Water Flow : min. 6lt / min

Bowl

Stainless Steel : Diameter 300 mm
 Galvanized Painted : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 9,950 kg - ABS : 8,900 kg
 Galvanized Painted : 10,250 kg – ABS : 9,200 kg
 Packet Dimensions : 810 x 320 x 220 (HxWxD) mm



EYE-WASH FOUNTAINS

FREEZE PROOF/TREADLE FOOT CONTROL

P/N : 15017000 Stainless Steel

P/N : 15017500 Galvanized Painted

Produced in accordance with EN 15154-2 standard.

Designed to protect against freezing. All pipes are made of galvanized painted steel or stainless steel.

Features

Pipes : Galvanized painted or stainless steel
 Water Inlet : 1"
 Water Outlet : 1 1/4"
 Water Flow : min. 6lt/min

Bowl

Stainless Steel : Diameter 300 mm
 Galvanized Painted : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 13,950 kg - ABS : 12,900 kg
 Galvanized Painted : 14,750 kg – ABS : 13,700 kg
 Packet Dimensions : 810 x 320 x 220 (HxWxD) mm



EMERGENCY SHOWERS

COMBINED EMERGENCY SHOWERS

ISTEC®

COMBINED EMERGENCY SAFETY SHOWER & EYE-WASH FOUNTAIN

STAINLESS STEEL
PEDESTAL MOUNTED/PUSH HANDLE CONTROL FOR EYEBATH
PULL ROD CONTROL FOR SHOWER

P/N 15031000

Standards EN 15154 - 1
EN 15154 - 2

Pedestal mounted. Bowl can be selected as stainless steel or ABS. All pipes are made of stainless steel.

Features

Pipes : 1 1/4" Stainless Steel
Water Inlet : 1"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min (Eye Wash)
: min. 60 lt/min (Body Shower)

Shower Head and Bowl

Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 20,500 kg
ABS : 18,300 kg
Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

PAINTED GALVANIZED
PEDESTAL MOUNTED/PUSH HANDLE CONTROL FOR EYEBATH
PULL ROD CONTROL FOR SHOWER

P/N 15031500

Standards EN 15154 - 1
EN 15154 - 2

Pedestal mounted. Bowl can be selected as galvanized steel or ABS. All pipes are made of galvanized steel. Different colours are available on request.

Features

Pipes : 1 1/4" Galvanized Painted
Water Inlet : 1"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min (Eye Wash)
: min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 21,500 kg
ABS : 19,300 kg
Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 774788, 7489626, 5007154, 55, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

STAINLESS STEEL
 PEDESTAL MOUNTED/TREADLE FOOT CONTROL FOR EYEBATH
 PULL ROD CONTROL FOR SHOWER

P/N 15032000

Standards EN 15154 - 1
 EN 15154 - 2

Bowl can be selected as stainless steel or ABS. All pipes are made of stainless steel

Features

Pipes : 1 1/4" Stainless Steel
 Water Inlet : 1"
 Water Outlet : 1 1/4"
 Water Flow : min. 6 lt/min (Eye Wash)
 : min. 60 lt/min (Body Shower)

Shower Head and Bowl

Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 21,400 kg
 ABS : 19,200 kg
 Packet Dimensions : 860 x 350 x 250 mm (HxWxD)


COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

PAINTED GALVANIZED
 PEDESTAL MOUNTED/TREADLE FOOT CONTROL FOR EYEBATH
 PULL ROD CONTROL FOR SHOWER

P/N 15032500

Standards EN 15154 - 1
 EN 15154 - 2

Bowl can be selected as stainless steel or ABS. All pipes are made of galvanized steel, standard color is green. Different colours are available on request.

Features

Pipes : 1 1/4" Galvanized Painted
 Water Inlet : 1"
 Water Outlet : 1 1/4"
 Water Flow : min. 6 lt/min (Eye Wash)
 : min. 60 lt/min (Body Shower)

Shower Head and bowl

Galvanized Painted : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 22,400 kg
 ABS : 20,200 kg
 Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



EMERGENCY SHOWERS

COMBINED EMERGENCY SHOWERS

ISTEC®

COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

STAINLESS STEEL
PEDESTAL MOUNTED/TREADLE FOOT CONTROL FOR SHOWER
PULL ROD CONTROL FOR EYEBATH

P/N 15033000

Standards EN 15154 - 1
EN 15154 - 2

Shower head can be selected as stainless steel or ABS. All pipes are made of stainless steel.

Features

Pipes : 1 1/4" Stainless Steel
Water Inlet : 1"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min (Eye Wash)
: min. 60 lt/min (Body Shower)

Shower Head and Bowl

Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 21,400 kg
ABS : 19,200 kg
Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

GALVANIZED PAINTED
PEDESTAL MOUNTED/TREADLE FOOT CONTROL FOR SHOWER PULL
ROD CONTROL FOR EYEBATH

P/N 15033500

Standards EN 15154 - 1
EN 15154 - 2

Shower head can be selected as galvanized steel or ABS. All pipes are made of galvanized steel. Standard color is green. Different colours are available on request.

Features

Pipes : 1 1/4" Galvanized Painted
Water Inlet : 1"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min (Eye Wash)
: min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 22,400 kg
ABS : 20,200 kg
Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

STAINLESS STEEL / WALL MOUNTED
 PUSH HANDLE FOR EYEWASH / PULL ROD OPERATED FOR SHOWER

P/N 15034000

Standards EN 15154 - 1
 EN 15154 - 2

Shower head and eyewash bowl can be selected as stainless steel or ABS. All pipes are made of stainless steel.

Features

Pipes : 1 1/4" Stainless Steel
 Water Inlet : 1"
 Water Outlet : 1 1/4"
 Water Flow : min. 6 lt/min (Eye Wash)
 : min. 60 lt/min (Body Shower)

Shower Head and Bowl

Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 17,550 kg
 ABS : 15,350 kg
 Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



COMBINED EMERGENCY SHOWER & EYE-WASH FOUNTAIN

GALVANIZED PAINTED / WALL MOUNTED

PUSH HANDLE FOR EYEBATH PULL ROD OPERATED FOR SHOWER

P/N 15034500

Standards EN 15154 - 1
 EN 15154 - 2

Shower head and eyewash bowl are galvanized steel or ABS. All pipes are made of galvanized steel. Standard color is green. Different colours are available on request.

Features


Pipes : 1 1/4" Galvanized Painted
 Water Inlet : 1"
 Water Outlet : 1 1/4"
 Water Flow : min. 6 lt/min (Eye Wash)
 : min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 18,200 kg
 ABS : 16,000 kg
 Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



EMERGENCY SHOWERS

COMBINED EMERGENCY SHOWERS

ISTEC®

COMBINED EMERGENCY SAFETY SHOWER & EYEWASH

STAINLESS STEEL / GALVANIZED PAINTED / FREEZE PROOF
WITH AUTOMATIC VALVE / PEDESTAL MOUNTED
PUSH HANDLE FOR EYEBATH / PULL ROD CONTROL FOR SHOWER

P/N 15036000 Stainless Steel

P/N 15036500 Galvanized Painted

Standards EN 15154 - 1
EN 15154 - 2

Designed to be protected against freezing. All pipes are made of stainless steel / galvanized steel. Shower head can be galvanized steel, stainless steel or ABS.

Features


Pipes : 1 1/4" Galvanized Painted or Stainless Steel
Water Inlet : 1"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min (Eye Wash)
min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 20,950 kg
ABS : 18,850 kg
Galvanized : 21,950 kg
ABS : 19,850 kg
Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



COMBINED EMERGENCY SAFETY SHOWER & EYEWASH

STAINLESS STEEL / GALVANIZED PAINTED
FREEZE PROOF / VALVE WITH AUTOMATIC - PEDESTAL MOUNTED
PUSH HANDLE FOR EYEBATH / PULL ROD CONTROL FOR SHOWER

P/N 15036060 Stainless Steel

P/N 15036565 Galvanized Painted

Standards EN 15154 - 1
EN 15154 - 2

Designed to be protected against freezing. All pipes are made of stainless steel / galvanized steel. Shower head can be galvanized steel, stainless steel or ABS.

Features

Pipes : 1 1/4" Galvanized Painted or Stainless Steel
Water Inlet : 1"
Water Outlet : 1 1/4"
Water Flow : min. 6 lt/min (Eye Wash)
min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 20,950 kg
ABS : 18,850 kg
Galvanized : 21,950 kg
ABS : 19,850 kg
Packet Dimensions : 860 x 350 x 250 mm (HxWxD)



COMBINED SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
 FREEZE PROTECTION / WITH DOUBLE VALVE / TREADLE FOOT
 CONTROL FOR EYEBATH / PANEL CONTROL FOR SHOWER

P/N 15038080	Stainless Steel
P/N 15038585	Galvanized Painted
Standards	EN 15154 - 1 EN 15154 - 2

Designed to be protected against freezing. All pipes are made of stainless steel / galvanized steel. Shower head can be painted steel, stainless steel or ABS.

Features

Pipes	: 1 1/4" Galvanized Painted or Stainless Steel
Water Inlet	: 1"
Water Outlet	: 1 1/4"
Water Flow	: min. 6 lt/min (Eye Wash) min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted	: Diameter 300 mm
Stainless Steel	: Diameter 300 mm
ABS	: Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel	: 34,250 kg
ABS	: 32,150 kg
Galvanized	: 35,250 kg
ABS	: 33,150 kg
Packet Dimensions	: 1100 x 700 x 280 mm (HxWxD)



COMBINED SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
 TREADLE FOOT CONTROL FOR EYEBATH / PANEL CONTROL FOR SHOWER

P/N 15039000	Stainless Steel
P/N 15039500	Galvanized Painted
Standards	EN 15154 - 1 EN 15154 - 2

Designed to be protected against freezing. All pipes are made of stainless steel / galvanized steel. Shower head can be painted steel, stainless steel or ABS.

Features

Pipes	: 1 1/4" Galvanized painted or stainless steel
Water Inlet	: 1"
Water Outlet	: 1 1/4"
Water Flow	: min. 6 lt/min (Eye Wash) min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted	: Diameter 300 mm
Stainless Steel	: Diameter 300 mm
ABS	: Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel	: 24,500 kg
ABS	: 22,400 kg
Galvanized	: 25,500 kg
ABS	: 23,400 kg
Packet Dimensions	: 1100 x 700 x 280 mm (HxWxD)



EMERGENCY SHOWERS

COMBINED EMERGENCY SHOWERS

ISTEC®

COMBINED SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
TREADLE FOOT CONTROL FOR EYEBATH / PANEL CONTROL FOR SHOWER

P/N 15035000	Stainless Steel
P/N 15035500	Galvanized Painted

Standards	EN 15154 - 1 EN 15154 - 2
-----------	------------------------------

You go over the platform, it Automatically provides water flow. The platform tray is suitable to connect to the ground. All pipes are made of galvanized steel or stainless steel. Shower head can be stainless steel, galvanized steel or ABS. The standard colour is green. Different colours are available on request.

Features


Pipes	: 1 1/4" Galvanized painted or stainless steel
Water Inlet	: 1"
Water Outlet	: 1 1/4"
Water Flow	: min. 6 lt/min (Eye Wash) min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted	: Diameter 300 mm
Stainless Steel	: Diameter 300 mm
ABS	: Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel	: 43,050 kg
ABS	: 40,950 kg
Galvanized	: 44,050 kg
ABS	: 41,950 kg
Packet Dimensions	: 950 x 850 x 280 mm (HxWxD)



COMBINED SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
FREEZ PROOF / PANEL CONTROL / PUSH HANDLE CONTROL

P/N 15038000	Stainless Steel
P/N 15038500	Galvanized Painted

Standards	EN 15154 - 1 EN 15154 - 2
-----------	------------------------------

You go over the platform, it automatically provides water flow. All pipes are made of galvanized or stainless steel. Shower head can be stainless steel, galvanized steel or ABS. The standard colour is green. Different colours are available on request.

Features

Pipes	: 1 1/4" Galvanized painted or stainless steel
Water Inlet	: 1"
Water Flow	: min. 6 lt/min (Eye Wash) min. 60 lt/min (Body Shower)

Shower Head and Bowl

Galvanized Painted	: Diameter 300 mm
Stainless Steel	: Diameter 300 mm
ABS	: Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel	: 34,250 kg
ABS	: 32,150 kg
Galvanized	: 35,250 kg
ABS	: 33,000 kg



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ
Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 774 4788, 7489626, 5007154, 55, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

EMERGENCY SAFETY SHOWER

STAINLESS STEEL
 PULL ROD OPERATED

P/N 15021000

Standard EN 15154 - 1

Pedestal mounted. All pipes are made of stainless steel. Shower head can be stainless steel or ABS.

Features

Pipes : 1 1/4" Stainless Steel
 Water Inlet : 1"
 Water Flow : min. 60 lt/min

Shower Head

Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 14,500 kg
 ABS : 13,450 kg
 Packet Dimensions : 810 x 320 x 220 mm (HxWxD)



EMERGENCY SAFETY SHOWER

GALVANIZED - PAINTED
 PULL ROD OPERATED

P/N 15021500

Standard EN 15154 - 1

All pipes are made of galvanized steel. Electrostatic powder coated. Standard color is green. (RAL 6029) can be different colors on request. Shower dish can be selected as galvanized steel or ABS.

Features


Pipes : 1 1/4" Galvanized Painted
 Water Inlet : 1"
 Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Galvanized Painted : 15,250 kg
 ABS : 14,200 kg
 Packet Dimensions : 810 x 320 x 220 mm (HxWxD)



EMERGENCY SHOWERS

EMERGENCY BODY SHOWERS

ISTEC®

EMERGENCY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
PEDESTAL MOUNTED / TREADLE FOOT CONTROL

P/N 15022000 Stainless Steel

P/N 15022500 Galvanized Painted

Standard EN 15154 - 1

Pedestal mounted. All pipes are made of stainless steel or galvanized steel. Galvanized painted models are coated electrostatic powder. Standard colour is green. (RAL 6029) different colours are available on request. Shower head can be stainless steel, galvanized steel or ABS.

Features


Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 15,400 kg
ABS : 14,350 kg
Galvanized : 16,100 kg
ABS : 15,050 kg
Packet Dimensions : 820 x 320 x 220 mm (HxWxD)



EMERGENCY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
WALL MOUNTED / PULL ROD CONTROL FOR SHOWER

P/N 15023000 Stainless Steel

P/N 15023500 Galvanized Painted

Standard EN 15154 - 1

All pipes are made of stainless steel or galvanized steel. Galvanized painted models are coated electrostatic powder. Standard color is green. (RAL 6029) different colours are available on request. Shower head can be stainless steel, galvanized steel or ABS.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 11,150 kg
ABS : 10,100 kg
Galvanized : 11,750 kg
ABS : 10,700 kg
Packet Dimensions : 820 x 320 x 170 mm (HxWxD)



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 774788, 7489626, 5007154, 55, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
 PULL ROD CONTROL

P/N 15024000 Stainless Steel

P/N 15024500 Galvanized Painted

Standards EN 15154 - 1

Connected to the wall with suitable valve. All tubes are made of stainless steel or galvanized steel. Shower head can be stainless steel, galvanized steel or ABS.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
 Water Inlet : 1"
 Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
 Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 5,250 kg
 ABS : 4,200 kg
 Galvanized : 5,450 kg
 ABS : 4,400 kg
 Packet Dimensions : 820 x 320 x 170 mm (HxWxD)



BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
 CEILING MOUNT / PULL ROD CONTROL

P/N 15024020 Stainless Steel

P/N 15024520 Galvanized Painted

Standards EN 15154 - 1

All tubes are made of stainless steel or galvanized steel. Shower head can be stainless steel, galvanized steel or ABS. Standard colour is green. Different colours are available on request.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
 Water Inlet : 1"
 Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
 Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 5,250 kg
 ABS : 4,200 kg
 Galvanized : 5,450 kg
 ABS : 4,400 kg
 Packet Dimensions : 820 x 320 x 170 mm (HxWxD)



EMERGENCY SHOWERS

EMERGENCY BODY SHOWERS

ISTEC®

BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
PEDESTAL MOUNTED / SUPPORT CONTROL

P/N 15025000 Stainless Steel

P/N 15025500 Galvanized Painted

Standard EN 15154 - 1

The platform tray is suitable to connect to the ground. All pipes are made of galvanized steel or stainless steel. Shower head is stainless steel, galvanized or ABS. The standard colour is green. Different colours are available on request.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 35,550 kg
ABS : 34,500 kg
Galvanized : 36,250 kg
ABS : 35,200 kg
Packet Dimensions : 950 x 850 x 280 mm (HxWxD)



BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
PEDESTAL MOUNTED / PANEL CONTROL

P/N15028000 Stainless Steel

P/N 15028500 Galvanized Painted

Standard EN 15154 - 1

All pipes are galvanized steel or stainless steel. Platform is suitable to connect to the ground. Shower head is stainless steel, galvanized steel painted or ABS. The standard colour is green. Different colours are available on request.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 26,250 kg
ABS : 24,900 kg
Galvanized : 29,950 kg
ABS : 28,500 kg
Packet Dimensions : 850 x 850 x 280 mm (HxWxD)



BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
 FREEZE-PROOF WITH DOUBLE VALVE / PANEL CONTROL

P/N 15028080 Stainless Steel

P/N 15028585 Galvanized Painted

Standard EN 15154 - 1

Platform controlled. All tubes are made of stainless steel or galvanized steel. Shower head is galvanized steel, stainless steel or ABS. Designed to be protected against freezing.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
 Water Inlet : 1"
 Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
 Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 31,750 kg
 ABS : 30,700 kg
 Galvanized : 32,750 kg
 ABS : 31,700 kg
 Packet Dimensions : 1100 x 700 x 280 mm (HxWxD)



BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
 FREEZE-PROOF WITH AUTOMATIC VALVE / PULL ROD CONTROL

P/N 15026000 Stainless Steel

P/N 15026500 Galvanized Painted

Standard EN 15154 - 1

Pedestal mounted. All pipes are made of stainless steel / galvanized steel. Shower head is galvanized painted steel, stainless steel or ABS.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
 Water Inlet : 1"
 Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
 Stainless Steel : Diameter 300 mm
 ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 14,950 kg
 ABS : 13,900 kg
 Galvanized : 15,700 kg
 ABS : 14,650 kg
 Packet Dimensions : 810 x 320 x 220 mm (HxWxD)



EMERGENCY SHOWERS

EMERGENCY BODY SHOWERS

ISTEC®

BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
FREEZE-PROOF WITH BEHIND WALL VALVE / PUSH HANDLE CONTROL

P/N 15024010 Stainless Steel

P/N 15024510 Galvanized Painted

Standard EN 15154 - 1

Wall mounted. Protection against freezing. All pipes are made of stainless steel / galvanized steel. Shower head is galvanized painted steel, stainless steel or ABS.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 10,600 kg
ABS : 9,550 kg
Galvanized : 10,900 kg
ABS : 9,850 kg
Packet Dimensions : 820 x 320 x 220 mm (HxWxD)



BODY SHOWER

STAINLESS STEEL / GALVANIZED PAINTED
FREEZE-PROOF / UNDER GROUND / PULL ROD CONTROL

P/N 15027000 Stainless Steel

P/N 15027500 Galvanized Painted

Standard EN 15154 - 1

Designed to be protected against freezing. All pipes are made of stainless steel / galvanized steel. Shower head is galvanized painted steel, stainless steel or ABS.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 19,250 kg
ABS : 18,200 kg
Galvanized : 20,250 kg
ABS : 19,200 kg
Packet Dimensions : 820 x 320 x 220 mm (HxWxD)



ООО «ТИ-СИСТЕМС» ИНЖИНИРИНГ И ПОСТАВКА ТЕХНОЛОГИЧЕСКОГО ОБОРУДОВАНИЯ

Интернет: www.tisys.ru www.tisys.kz www.tisys.by www.tesec.ru www.ти-системс.рф

Телефоны для связи: +7 (495) 774788, 7489626, 5007154, 55, 65

Эл. почта: info@tisys.ru info@tisys.kz info@tisys.by

EMERGENCY SHOWERS WITH CABINET

STAINLESS STEEL / GALVANIZED PAINTED
PLATFORM OPERATED

P/N 15025050 Stainless Steel

P/N 15025550 Galvanized Painted

Standard EN 15154 - 1

Autostart once stepped on the platform. Surrounded on three sides by handrails and panels. Platform floor is mounted inside. Waste water can be connected to water outlet easily via drainage vessel. An entrance ramp is added to step on the platform easily. The standard colour is green. Different colours are available on request. Shower heads can be stainless steel, galvanized painted or ABS.

Features

Pipes : 1 1/4" Galvanized painted or stainless steel
Water Inlet : 1"
Water Flow : min. 60 lt/min

Shower Head

Galvanized Painted : Diameter 300 mm
Stainless Steel : Diameter 300 mm
ABS : Diameter 250 mm - Colour yellow or green

Weight

Stainless Steel : 96,000 kg
Galvanized : 104,000 kg
Packet Dimensions : 1100 x 1100 x 400 mm (HxWxD)

**DECONTAMINATION UNITS**

P/N 15051000 Stainless Steel

P/N 15051500 Galvanized Painted

Decontamination showers provide sanitation and decontamination to the people exposed to chemical or biological agents, as well as to extinguish burning clothes. Autostart once stepped on the platform. 14 spray nozzle sprays water to whole body. Swivelling spray provides easy decontamination. Decontamination units can be covered from three sides to avoid splashes (optional).

Features

Pipes : Galvanized Painted, 304 Stainless Steel
Water Inlet : 1"
Handrails and Platform : Galvanized painted or stainless steel

Weight

Stainless Steel : 55,900 kg
Galvanized : 57,600 kg
Packet Dimensions : 950 x 850 x 280 mm (HxWxD)



PORTABLE EYE-WASH FOUNTAINS WITH TRIGGER VALVE

STAINLESS STEEL

P/N 15019010

Standard EN 15154 - 2

Designed for application where fixed eyewash fountains can not be installed against various hazards. Can easily be carried by two people. 2" filling plug, 25 lt water capacity. Sprays aerated water. Rinses eyes and face with clean water via nozzles. Operated by a trigger valve. Unlimited use by filling water and air.

Features

Water Capacity : 25 lt.
Water Inlet : 2"
Water Flow : min. 8,5 lt/min (Eye Wash)
Water Tank : 304 Stainless Steel
Pipes : 304 Stainless Steel
Weight : 10,350 kg
Packet Dimensions: 320 x 320 x 830 mm (HxWxD)

Other Parts: Stainless steel ball valves, pressure safety valve, flexible shower head, dust protection covers.



PORTABLE EYE-WASH FOUNTAIN WITH FIXED SPRAY NOZZLE

STAINLESS STEEL

P/N15019020

Standard EN 15154 - 2

Designed for application where fixed eyewash fountains can not be installed against various hazards. Can easily be carried by two people. 2" filling plug, 25 lt water capacity. Sprays aerated water. Rinses eyes and face with clean water via twin spray nozzles. Operated by a push handle. Unlimited use by filling water and air.

Features


Water Capacity : 25 lt.
Water Inlet : 2"
Water Flow : min. 8,5 lt/min (Eye Wash)
Water Tank : 304 Stainless Steel
Pipes : 304 Stainless Steel
Weight : 10,350 kg
Packet Dimensions : 320 x 320 x 830 mm (HxWxD)

Other Parts: Stainless steel ball valves, pressure safety valve, flexible shower head, dust protection covers.



Innovative Designs for Extreme Weather Conditions

Integrated Freeze Protection Valve System





for freeze protection


Valve port opens on descending temperatures, allows discharging and replace with warmer Inlet water

Auto Discharge Double Valve System

for freeze and hot water protection



Operating Position



Discharge Position

Auto Discharge Underground Push Valve System

for freeze and hot water protection

